What is claimed is:

5

10

15

20

1. A code computing apparatus comprising:

first and second registers (201 and 202) in which parameters having a predetermined bit length are set, respectively;

a third register (203) in which data to be encrypted is set;

a matrix element computation part (30) for generating matrix elements from the values set in said first and second registers;

a matrix element register (51) for holding the matrix elements generated by said matrix element computation part; and

an inner product calculation part (40) for executing inner product calculation between the matrix elements held by said matrix element register and the data set in said third register, wherein

said matrix element computation part selectively generates matrix elements for error detection and matrix elements for encryption by changing the parameters to be set in said first and second registers, and

said inner product calculation part selectively performs error control code generation and data encryption by altering the matrix elements to be held in said matrix element register.

2. A code computing apparatus comprising:

first and second registers (201 and 202) for storing, at least one of them, coefficient data of a polynomial of degree n;

5 a third register (203) in which data to be encrypted is set;

a matrix element computation part (30) for generating matrix elements of $n \times n$ from the value set in said first and second registers;

a matrix element register (51) for holding the matrix elements generated by said matrix element computation part; and

an inner product calculation part (40) for executing inner product calculation between the matrix elements held by said matrix element register and the data set in said third register; wherein

said inner product calculation part produces encrypted data of transmitting data or receiving data supplied to said third register.

20

25

15

3. The code computing apparatus according to claim 2, wherein said matrix element computation part generates matrix elements for error detection, and said inner product calculation part generates an error detection code corresponding to the data set in said third register.

4. The code computing apparatus according to claim 3, wherein coefficient data (g') of a polynomial g(x) of degree n of Galois field is set, except for a coefficient of the highest degree n, to said first and second registers, and

said inner product calculation part outputs a CRC code corresponding to a modulus (mod) of the polynomial g(x) for the data set in said third register.

5. The code computing apparatus according to claim 2, wherein said matrix element computation part generates matrix elements for encryption, and

said inner product calculation part outputs an encryption code of the data set in said third register.

15

20

25

5

- 6. The code computing apparatus according to claim 5, further comprising:
- a first memory for storing coefficient data of an irreducible polynomial g(x) of degree n of Galois field and encryption key data;

a control part (70) for reading out from said memory the coefficient data and the encryption key data in a form divided into a plurality of data blocks and setting them in said first and second registers, respectively, and

a second memory for storing elements values of a plurality

of partial matrices, wherein

10

elements of a plurality of partial of matrix of n × n are generated by said matrix element computation part (30), and under the control of said control part, the elements of partial matrix generated by said matrix element computation part are stored in said second memory, the elements of partial matrix are selectively loaded from said second memory to said matrix element register (51), and said inner product calculation part repeats the inner product calculation between the data set in said third register and the elements of a plurality of partial matrices, thereby to output said encryption code.

- 7. The code computing apparatus according to claim 6, further comprising:
- means (52 and 53) for performing exclusive OR operation between the results of inner product calculation generated by said inner product calculation part and pre-computed elements held as intermediate results of the calculation, and holding the results of exclusive OR operation as new intermediate results of the calculation.